



Ver.	Modify No.	Details	Area	P.I.C	Date



PIN	Definition
1	RST
2	INT
3	SCL
4	SDA
5	VCC(3.3V)
6	GND

- Technicalparameter:
- 1.Structure type: G+F+OLED
  - 2.Glass: T=0.7mm , Asahi Glass ,Surface Hardness≥6H
  - 3.Controller: MST-GFF-CTR-FTS-015B COF
  - 4.Controller IC: FT6336G
  - 5.Light transmission: ≥86%
  - 6.Operating temperature: -20℃~+80℃, ≤85%RH
  - 7.Storage temperature: -30℃~+80℃, ≤85%RH
  - 8.Unmarked tolerance: ±0.5mm
  - 9.All material used conform to RoHS standards

Part No.		MST-TMS-1.5-TFT			
Product Name: 1.5 inch Touch Display (TP+LCM Frame bonding)		Drawing No.	MS015B71211122		
		Project Code.	MS015B71		
Designed by:	Curry.Wang	Business Unit: SNT-BTP	Period Mark	View Angle	Ratio
Checked by:	Betty.Fu		A		1:1
Approved by:	Cale.Chen		Page 1	Total 1 Page	
Workmanship:	Chao.Ai	BOM Code	2.22.015.71.0000		
Standardization:	Link.Chen	Product Series	BTP-TPA		
Released by:	Rocky.Liu	思诺泰科创电子(苏州)有限公司 SINOTRONICS INC.			