



Ver.	Modify No.	Details	Area	P.I.C	Date


Front View




Side View



Back View



Pin#	Assignment
1	XL
2	YD
3	XR
4	YU



Description:

- structure: Film+Glass+Tail;
Film: Fog face anti-Newton ring,0.188mm
Glass: Ordinary Glass,1.1mm, Surface haze <8%
- Supply voltage: DC5V 1mA;
- Insulation impedance: ≥20MΩ (25V DC);
- Linearity: ≤ 1.5%;
- Transmittance: ≥ 76%;
- Operating pressure: 30-120g;
- Service life: ≥1,000,000 times;
- Dot life: ≥ 100000 times;
- Surface hardness: ≥3H
- Corresponding time: ≤15ms
- Working environment: -20°C~+70°C
- Storage environment: -30°C~+80°C;
- Circuit resistance X(Glass):350-1320Ω Y(Film):100-450 Ω;
- Dimension tolerance is ±0.30;
- Products comply with ROHS.

Part No.		MST-RT-TPB-9		
Master Touch Product Name: 9 inch Touch Panel		Drawing No.	R090B211201	
		Project Code.	R090B	
Designed by:	Curry. Wang	Business Unit:	Period Mark	View Angle
Checked by:	Betty.Fu	SNT-BTP	A	Ratio
Approved by:	Cale.Chen		1:1	
Workmanship:	GUAN	BOM Code	1.14.090.02.0000	Page 1
Standardization:	Link.Chen	Product Series	BTP-RT	Total 1 Page
Released by:	Rocky.Liu	思诺泰科创电子(苏州)有限公司 SINOTRONICS INC.		