



Ver.	Modify No.	Details	Area	P.I.C	Date

FRONT VIEW



SIDE VIEW




BACK VIEW

Technical parameter:

1. Structure type: GFF
2. Glass: T=2.0mm , Hardness≥6H
3. Controller: MST-GFF-CTR-ETI-270B COB
4. Controller IC: EXC84H5680STAG(Tx42°Rx74)
5. Light transmission: ≥80%
6. Operating temperature: -20℃~+80℃, ≤85%RH
7. Storage temperature: -30℃~+80℃, ≤85%RH
8. Unmarked tolerance: ±0.5mm
9. All material used conform to RoHS standards

GFF Joint way



ITO Conductive surface

For USB Connector (J1)	
1	EGND
2	VCC(SW)
3	GND
4	D+
5	D-

Designed by:	Curry.Wang
Checked by:	Betty.Fu
Approved by:	Cate.Chen
Workmanship:	Mei.Zai
Standardization:	Link.Chen
Released by:	Rocky.Liu

Part No.	MST-GFF-TPB-27-ETI		
Master Touch Product Name: 27 inch Touch Panel	Drawing No.	F270B29210818	
	Project Code.	F270B29	
Business Unit: SNT-BTP	Period Mark	A	View Angle
	Ratio	1:1	
BOM Code	1.13.270.29.0000	Page 1	Total 1 Page
Product Series	BTP-GFF	思诺泰科电子(苏州)有限公司 SINOTRONICS INC.	